



Nationals
Date: March 30, 2023


RULE #1: Fair bounding ball striking the metal safety railing in the left field corner above the green concrete wall that is between the foul pole and the angled plexiglass/railing down the foul line: **Out of Play**




RULE #2: Ball in flight striking the higher wall at a point above the lower wall and bounding over the lower wall: **Home Run**




RULE #3: *Fair bounding ball* striking the portion of the wall that is recessed above the padded outfield wall: **Out of Play, Two Bases**



RULE #4: *Fair bounding ball* striking above the padded outfield wall on or to the left of the vertical yellow line in foul territory: **In Play**




RULE #5: Ball in flight striking beyond outfield fence and landing in the flowerbed or striking the fan safety railing in fair territory: **Home Run**






RULE #6: The green metal support pipe on top of the chain-link fence is recessed and behind the outfield wall.

- Ball in flight striking the metal support pipe: Home Run
- Bounding ball striking the metal support pipe: **Out of Play**




MLB







RULE #7: Ball in flight striking the top of the padded surface angled into the stands on top of the out-of-town scoreboard, as well as the plexiglass or fan safety railing, in fair territory: **Home Run**










Backstop Photos:









3B Dugout Photos:








3B Dugout Photos:







3B iPad Camera Photos:



3B Pitcher Camera




3B Batter Camera


A ball that strikes the camera behind the netting and enclosed padding is *live and in play* unless it becomes lodged or is otherwise deemed unplayable (i.e. goes completely through the netting).



3B Camera Well Photos:





MLB






LF Fan Safety Netting Photos:












LF Fan Safety Netting Photos:













LF Corner Photos:









LF Wall Photos:










OF Wall Photos:








RF Wall Photos:









RF Wall Photos (Cont.):






RF Corner Photos:












RF Extended Fan Safety Netting Photos:





1B Dugout Photos:







1B iPad Camera Photos:






A ball that strikes the camera behind the netting and enclosed padding is *live and in play* unless it becomes lodged or is otherwise deemed unplayable (i.e. goes completely through the netting).


1B Pitcher Camera


MLB

1B Batter Camera

1B Camera Well Photos:











Nationals
Date: March 30, 2023